

**Question 30: How familiar would you say you are with the use of Narcan to prevent people from dying if they are experiencing an overdose?**

		<b>VERY FAMILIAR</b>	<b>SOMEWHAT FAMILIAR</b>	<b>NOT VERY FAMILIAR</b>	<b>NOT FAMILIAR AT ALL</b>	<b>DON'T KNOW</b>	<b>Count</b>
Kentucky Residents		29.8%	37.1%	13.9%	19.2%	0.1%	1563
Sex	Male	31.5%	39.1%	14.5%	14.9%		738
	Female	28.2%	35.4%	13.4%	23.0%	0.1%	825
Race	African - American	29.6%	37.2%	6.5%	26.8%		114
	White	28.9%	38.2%	14.6%	18.3%	0.0%	1355
Age	18 to 29	27.1%	40.9%	16.7%	15.2%		276
	30 to 45	39.1%	36.0%	12.3%	12.6%		378
	46 to 64	30.3%	37.0%	13.1%	19.6%		538
	65 and over	20.0%	35.9%	14.5%	29.4%	0.2%	340
Education	Less than high school	18.5%	29.2%	17.4%	34.7%	0.3%	243
	High school graduate	24.5%	39.3%	15.3%	20.9%		547
	Some college	38.1%	34.8%	12.6%	14.5%	0.0%	448
	College graduate	35.3%	43.1%	11.1%	10.5%		306
Poverty Status	138% and below FPL	23.5%	29.5%	19.9%	27.1%		426
	Between 138% and 200% FPL	27.8%	41.0%	12.7%	18.2%	0.4%	209
	Above 200% FPL	35.9%	43.0%	9.8%	11.2%	0.0%	711
Insurance Status	Insured	30.8%	37.0%	13.4%	18.7%	0.1%	1423
	Not insured / Don't know	19.7%	38.0%	18.9%	23.4%		140
General Health Rating	Excellent / Very good	30.4%	37.6%	15.9%	16.1%	0.1%	626
	Good	32.3%	37.0%	11.6%	19.1%	0.0%	499
	Fair / Poor	26.1%	36.6%	13.6%	23.7%		436
Registered to Vote	Yes	30.6%	39.5%	12.0%	17.9%	0.1%	1312
	No	25.3%	24.7%	24.2%	25.8%		242
Party Identification	Democrat	27.6%	40.1%	15.2%	17.0%		563
	Independent	27.5%	39.2%	12.6%	20.7%		195
	Republican	31.4%	36.6%	12.4%	19.5%	0.1%	658
Geographical Region	Western Kentucky	27.2%	31.5%	14.4%	26.8%		303
	Louisville Area	36.5%	38.8%	9.6%	15.1%		315
	Northern Kentucky	46.5%	37.3%	6.1%	9.6%	0.4%	319
	Lexington Area	31.9%	39.9%	16.7%	11.5%		311
	Appalachian ADDs	20.6%	41.9%	18.6%	18.9%		316
Appalachian Status	R not Appalachian	31.2%	35.5%	13.5%	19.7%	0.1%	990
	R born in Appalachia only*	22.8%	42.2%	16.4%	18.6%		49
	R's parent(s) born in Appalachia only	29.0%	45.4%	13.4%	12.1%	0.0%	221
	R and parent(s) both born in Appalachia	26.6%	35.4%	15.2%	22.8%		303
County Designation	Urban County	33.3%	38.0%	11.3%	17.5%		539
	Suburban County	36.1%	39.7%	10.2%	13.8%	0.2%	339
	Rural, small city	23.9%	35.1%	17.8%	23.2%		684

**Question 31: Which of the following statements best describes your view about making Narcan available to people who overdose...?**

		<b>MAKING NARCAN AVAILABLE GIVES PEOPLE THE CHANCE TO CONTINUE USING</b>	<b>MAKING NARCAN AVAILABLE GIVES PEOPLE THE CHANCE TO SEEK TREATMENT</b>	<b>BOTH (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Kentucky Residents		37.7%	49.9%	6.7%	5.6%	1530
Sex	Male	38.7%	49.8%	6.8%	4.7%	726
	Female	36.8%	50.0%	6.7%	6.4%	804
Race	African - American	41.7%	48.6%	6.3%	3.4%	113
	White	38.4%	49.6%	6.4%	5.6%	1328
Age	18 to 29	37.2%	55.8%	6.5%	0.5%	276
	30 to 45	35.4%	51.1%	8.3%	5.2%	374
	46 to 64	42.8%	48.5%	4.8%	3.9%	523
	65 and over	33.8%	46.6%	6.3%	13.3%	328
Education	Less than high school	30.3%	51.3%	6.8%	11.6%	229
	High school graduate	36.3%	50.4%	7.5%	5.9%	536
	Some college	41.0%	50.9%	5.4%	2.7%	444
	College graduate	43.3%	46.2%	5.4%	5.1%	304
Poverty Status	138% and below FPL	37.3%	50.9%	6.2%	5.6%	417
	Between 138% and 200% FPL	33.3%	54.5%	6.3%	5.9%	208
	Above 200% FPL	41.0%	49.4%	7.3%	2.3%	701
Insurance Status	Insured	37.7%	50.3%	6.4%	5.6%	1398
	Not insured / Don't know	38.6%	45.7%	10.0%	5.7%	133
General Health Rating	Excellent / Very good	38.0%	50.2%	6.9%	4.9%	611
	Good	37.1%	49.6%	7.4%	5.9%	493
	Fair / Poor	38.3%	49.6%	5.7%	6.4%	425
Registered to Vote	Yes	39.3%	48.7%	6.5%	5.5%	1287
	No	30.1%	57.4%	6.0%	6.4%	235
Party Identification	Democrat	44.0%	44.9%	7.2%	4.0%	550
	Independent	30.6%	60.5%	5.4%	3.4%	191
	Republican	34.3%	53.1%	6.5%	6.1%	649
Geographical Region	Western Kentucky	34.2%	50.6%	5.4%	9.8%	290
	Louisville Area	32.6%	56.0%	7.8%	3.5%	309
	Northern Kentucky	40.2%	49.2%	8.9%	1.7%	317
	Lexington Area	47.1%	43.2%	6.9%	2.7%	309
	Appalachian ADDs	38.3%	49.8%	6.6%	5.3%	314
Appalachian Status	R not Appalachian	35.7%	50.6%	7.2%	6.4%	964
	R born in Appalachia only*	46.0%	45.2%	6.5%	2.3%	46
	R's parent(s) born in Appalachia only	39.9%	51.7%	4.3%	4.1%	221
	R and parent(s) both born in Appalachia	41.3%	46.9%	7.2%	4.6%	298
County Designation	Urban County	36.0%	52.5%	6.9%	4.6%	530
	Suburban County	39.2%	47.6%	8.6%	4.7%	329
	Rural, small city	38.4%	49.0%	5.8%	6.8%	671

**Question 31: Which of the following statements best describes your view about making Narcan available to people who overdose...?**

		<b>MAKING NARCAN AVAILABLE GIVES PEOPLE THE CHANCE TO CONTINUE USING</b>	<b>MAKING NARCAN AVAILABLE GIVES PEOPLE THE CHANCE TO SEEK TREATMENT</b>	<b>BOTH (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Familiarity with Narcan	Very/ Somewhat Familiar	40.7%	49.0%	7.8%	2.5%	1034
	Not Very/ Not Familiar	31.6%	51.9%	4.5%	12.0%	496

**Question 32: How likely would you be to carry Narcan...?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Kentucky Residents		18.5%	18.4%	21.8%	38.4%	1.0%	1.9%	1552
Sex	Male	15.0%	19.0%	22.8%	40.4%	1.7%	1.1%	736
	Female	21.7%	17.8%	20.8%	36.7%	0.3%	2.7%	816
Race	African - American	17.0%	12.5%	31.6%	31.4%		7.5%	114
	White	18.0%	19.2%	20.5%	39.7%	1.1%	1.4%	1346
Age	18 to 29	15.4%	20.5%	28.1%	33.8%	0.4%	1.9%	276
	30 to 45	23.0%	21.7%	16.6%	36.1%	2.1%	0.5%	374
	46 to 64	20.0%	16.5%	24.2%	36.8%	1.1%	1.3%	536
	65 and over	14.4%	15.5%	19.0%	46.5%	0.1%	4.6%	337
Education	Less than high school	11.9%	19.1%	25.6%	38.2%	0.4%	4.8%	237
	High school graduate	16.4%	15.1%	23.7%	40.6%	1.6%	2.7%	546
	Some college	19.4%	18.8%	20.5%	40.4%	0.5%	0.4%	447
	College graduate	25.9%	24.2%	17.4%	30.7%	1.1%	0.7%	304
Poverty Status	138% and below FPL	16.6%	15.7%	22.7%	41.6%	2.2%	1.3%	425
	Between 138% and 200% FPL	18.7%	16.5%	25.8%	37.1%	0.3%	1.5%	207
	Above 200% FPL	21.6%	20.9%	20.8%	35.6%	0.6%	0.5%	710
Insurance Status	Insured	19.1%	18.9%	21.3%	37.4%	1.1%	2.1%	1416
	Not insured / Don't know	11.9%	12.7%	26.3%	48.9%		0.2%	136
General Health Rating	Excellent / Very good	17.9%	22.6%	21.2%	36.1%	0.5%	1.7%	618
	Good	20.0%	17.9%	21.2%	38.2%	1.6%	1.1%	497
	Fair / Poor	17.8%	13.0%	23.1%	42.0%	1.0%	3.1%	436
Registered to Vote	Yes	20.0%	18.2%	22.2%	36.8%	1.1%	1.7%	1306
	No	9.8%	19.7%	19.1%	47.7%	0.6%	3.1%	238
Party Identification	Democrat	24.8%	22.4%	16.8%	32.6%	0.5%	2.9%	562
	Independent	17.1%	15.3%	30.8%	32.1%	4.2%	0.5%	194
	Republican	14.9%	15.0%	25.0%	42.9%	0.6%	1.7%	655
Geographical Region	Western Kentucky	19.7%	18.0%	19.6%	39.2%	1.4%	2.1%	300
	Louisville Area	16.3%	18.4%	22.2%	39.4%	0.9%	2.8%	314
	Northern Kentucky	16.4%	21.6%	21.3%	38.8%	0.3%	1.7%	316
	Lexington Area	25.6%	23.0%	22.7%	27.6%	0.9%	0.2%	309
	Appalachian ADDs	16.2%	18.5%	24.4%	39.1%	0.5%	1.3%	314
Appalachian Status	R not Appalachian	18.8%	18.9%	22.4%	36.2%	1.4%	2.4%	983
	R born in Appalachia only*	19.0%	25.7%	12.2%	41.3%		1.8%	49
	R's parent(s) born in Appalachia only	22.2%	15.8%	23.1%	38.0%	0.3%	0.6%	220
	R and parent(s) both born in Appalachia	14.9%	17.3%	20.4%	45.7%	0.3%	1.3%	301
County Designation	Urban County	19.5%	18.1%	22.3%	36.1%	1.0%	3.0%	538
	Suburban County	20.6%	21.2%	18.6%	38.5%	0.2%	0.9%	333
	Rural, small city	16.7%	17.2%	22.9%	40.3%	1.4%	1.6%	681

**Question 32: How likely would you be to carry Narcan...?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Familiarity with Narcan	Very/ Somewhat Familiar	21.8%	19.2%	22.3%	34.3%	1.5%	0.9%	1044
	Not Very/ Not Familiar	11.8%	16.6%	20.6%	47.0%		3.9%	508
Narcan Views	Narcan gives people chance to keep using	20.2%	20.6%	20.9%	37.2%	0.5%	0.6%	576
	Narcan gives people chance to seek treatment	18.2%	16.3%	24.5%	37.6%	1.6%	1.8%	762
	Both	21.9%	26.9%	14.5%	34.8%		1.9%	103

**Question 18: How familiar would you say you are with the use of Narcan to prevent people from dying if they are experiencing an overdose?**

		<b>VERY FAMILIAR</b>	<b>SOMEWHAT FAMILIAR</b>	<b>NOT VERY FAMILIAR</b>	<b>NOT AT ALL FAMILIAR</b>	<b>DON'T KNOW</b>	<b>Count</b>
Ohio Residents		28.6%	38.2%	11.0%	21.8%	0.4%	815
Sex	Male	27.2%	38.8%	11.6%	22.4%	0.1%	394
	Female	29.8%	37.7%	10.5%	21.2%	0.8%	421
Sex and Race Combined	African - American	22.4%	33.8%	10.9%	32.8%		87
	White male	26.4%	40.6%	11.7%	21.2%	0.1%	326
	White female	30.7%	39.4%	9.6%	19.4%	0.8%	338
Age	18 to 29	24.9%	43.2%	6.1%	25.7%		129
	30 to 45	42.6%	36.8%	7.5%	13.2%		175
	46 to 64	31.2%	37.0%	14.1%	17.4%	0.3%	286
	65 and over	15.8%	39.1%	11.9%	33.3%		191
Education	Less than high school	34.7%	14.0%	10.0%	41.3%		93
	High school graduate	19.9%	38.4%	12.6%	28.1%	1.2%	275
	Some college	31.0%	45.5%	9.7%	13.8%		242
	College graduate	34.7%	42.1%	10.3%	12.6%	0.2%	193
Poverty Status	138% and below FPL	25.0%	37.9%	7.8%	29.4%		144
	Between 138% and 200% FPL	26.3%	40.1%	11.6%	22.0%		109
	Above 200% FPL	34.8%	42.4%	8.7%	14.0%	0.1%	384
Party Identification	Democrat	28.4%	35.8%	9.6%	26.1%		293
	Independent	36.9%	32.7%	9.8%	17.8%	2.8%	112
	Republican	26.3%	45.5%	12.3%	15.7%	0.1%	323
Ideology	Liberal	33.9%	32.5%	6.4%	27.3%		133
	Moderate	28.6%	46.5%	6.8%	17.0%	1.1%	283
	Conservative	27.3%	38.6%	15.8%	18.3%		282
Registered to Vote	Yes	28.1%	40.4%	10.8%	20.7%	0.1%	687
	No	32.8%	27.2%	11.4%	26.3%	2.2%	119
Insurance Status	Insured	28.4%	37.8%	10.7%	22.6%	0.5%	727
	Not insured / Don't know	30.2%	43.2%	13.1%	13.6%		84
General Health Rating	Excellent / Very good	33.6%	38.9%	10.6%	16.8%		361
	Good	24.8%	39.7%	8.3%	25.8%	1.4%	258
	Fair / Poor	23.6%	35.1%	15.5%	25.8%		195
Geographical Region	Northeast Ohio	29.1%	34.3%	11.2%	24.4%	0.9%	324
	Northwest Ohio	29.6%	35.1%	10.6%	24.7%		97
	Central Ohio	28.1%	40.5%	7.5%	23.5%	0.4%	143
	Southeast Ohio*	27.5%	36.9%	16.9%	18.7%		54
	Southwest Ohio	27.7%	44.8%	11.9%	15.6%		196
Rural or Urban County	Urban county	29.7%	39.3%	9.1%	21.1%	0.9%	362
	Suburban county	36.2%	34.6%	13.4%	15.8%		222
	Rural, small city	19.5%	39.9%	11.9%	28.7%	0.2%	231

**Question 18: How familiar would you say you are with the use of Narcan to prevent people from dying if they are experiencing an overdose?**

		<b>VERY FAMILIAR</b>	<b>SOMEWHAT FAMILIAR</b>	<b>NOT VERY FAMILIAR</b>	<b>NOT AT ALL FAMILIAR</b>	<b>DON'T KNOW</b>	<b>Count</b>
Prescribed a Pain Reliever	Yes	34.2%	37.9%	11.3%	16.4%	0.2%	239
	No	26.1%	38.3%	11.0%	24.2%	0.6%	567
Believe Addiction is a Disease	Is a Disease	30.2%	38.9%	11.0%	19.3%	0.6%	499
	Is Not a Disease	26.3%	39.8%	9.3%	24.4%	0.2%	252

**Question 19: Which of the following statements best describes your view about making Narcan available to people who overdose . . . ?**

		<b>GIVES THEM THE OPPORTUNITY TO CONTINUE USING</b>	<b>GIVES THEM THE OPPORTUNITY TO SEEK TREATMENT</b>	<b>BOTH (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Ohio Residents		29.4%	58.5%	8.5%	3.6%	797
Sex	Male	29.9%	59.4%	6.0%	4.6%	380
	Female	28.9%	57.7%	10.8%	2.6%	417
Sex and Race Combined	African - American	20.4%	68.6%	7.4%	3.6%	86
	White male	32.2%	57.0%	5.9%	4.9%	313
	White female	28.7%	57.3%	11.1%	2.8%	335
Age	18 to 29	26.3%	65.5%	7.9%	0.3%	123
	30 to 45	29.6%	55.0%	12.4%	3.1%	173
	46 to 64	34.9%	53.3%	7.3%	4.5%	281
	65 and over	21.7%	68.1%	6.0%	4.2%	186
Education	Less than high school	20.3%	69.6%	3.0%	7.2%	85
	High school graduate	31.4%	60.6%	5.8%	2.2%	272
	Some college	31.5%	52.2%	10.6%	5.7%	240
	College graduate	26.9%	59.2%	12.6%	1.4%	190
Poverty Status	138% and below FPL	27.4%	65.6%	5.6%	1.4%	143
	Between 138% and 200% FPL	32.4%	55.3%	8.3%	4.0%	102
	Above 200% FPL	28.7%	58.5%	9.3%	3.5%	379
Party Identification	Democrat	23.9%	66.2%	6.8%	3.2%	290
	Independent	25.4%	55.1%	17.0%	2.5%	105
	Republican	36.3%	52.5%	8.0%	3.2%	316
Ideology	Liberal	22.0%	65.3%	9.0%	3.6%	132
	Moderate	28.1%	59.2%	10.9%	1.8%	273
	Conservative	35.6%	54.0%	6.7%	3.7%	279
Registered to Vote	Yes	30.1%	57.7%	8.9%	3.4%	676
	No	23.2%	65.7%	6.8%	4.3%	112
Insurance Status	Insured	28.5%	58.8%	9.0%	3.7%	714
	Not insured / Don't know	38.4%	56.1%	4.1%	1.4%	81
General Health Rating	Excellent / Very good	35.2%	52.1%	10.5%	2.2%	351
	Good	26.1%	65.4%	5.8%	2.7%	252
	Fair / Poor	23.4%	61.0%	8.3%	7.3%	192
Geographical Region	Northeast Ohio	30.4%	58.6%	8.7%	2.3%	320
	Northwest Ohio	24.7%	66.2%	6.8%	2.3%	89
	Central Ohio	29.6%	54.2%	9.0%	7.3%	142
	Southeast Ohio*	30.7%	59.1%	3.8%	6.5%	54
	Southwest Ohio	29.5%	58.0%	9.8%	2.7%	192
Rural or Urban County	Urban county	27.8%	58.2%	9.2%	4.8%	355
	Suburban county	29.3%	61.7%	7.6%	1.4%	217
	Rural, small city	32.0%	56.1%	8.2%	3.8%	225



**Question 19: Which of the following statements best describes your view about making Narcan available to people who overdose . . . ?**

		<b>GIVES THEM THE OPPORTUNITY TO CONTINUE USING</b>	<b>GIVES THEM THE OPPORTUNITY TO SEEK TREATMENT</b>	<b>BOTH (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Familiar with Narcan	Very / Somewhat Familiar	29.6%	57.7%	9.7%	3.0%	535
	Not very / Not at All Familiar	28.2%	61.0%	6.0%	4.9%	258
Prescribed a Pain Reliever	Yes	27.2%	58.4%	9.9%	4.4%	233
	No	30.4%	58.5%	8.0%	3.1%	555
Believe Addiction is a Disease	Is a Disease	23.9%	64.3%	8.5%	3.3%	493
	Is Not a Disease	43.1%	45.2%	7.4%	4.4%	243

**Question 20: Suppose you were in contact with people at risk for opioid overdose. How likely would you be to carry Narcan . . . ?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Ohio Residents		20.6%	21.6%	20.0%	35.8%	0.4%	1.7%	809
Sex	Male	16.8%	20.9%	19.7%	39.8%	0.7%	2.1%	391
	Female	24.1%	22.2%	20.2%	32.1%	0.1%	1.3%	418
Sex and Race Combined	African - American	27.1%	23.9%	9.1%	39.2%		0.7%	87
	White male	17.5%	20.8%	19.1%	40.1%	0.5%	2.0%	323
	White female	22.6%	21.1%	22.0%	32.8%	0.2%	1.3%	337
Age	18 to 29	19.6%	23.9%	28.1%	27.7%	0.8%		129
	30 to 45	24.8%	23.3%	19.0%	31.9%		1.0%	173
	46 to 64	23.1%	21.9%	16.3%	36.8%	0.7%	1.2%	285
	65 and over	15.7%	17.3%	17.5%	45.0%		4.5%	188
Education	Less than high school	18.2%	19.4%	6.1%	51.6%		4.7%	93
	High school graduate	19.0%	21.4%	17.6%	40.6%		1.3%	272
	Some college	18.1%	25.3%	20.4%	33.9%	1.3%	1.0%	242
	College graduate	27.2%	18.7%	27.3%	25.2%		1.6%	191
Poverty Status	138% and below FPL	20.5%	18.5%	15.9%	43.6%		1.4%	144
	Between 138% and 200% FPL	15.5%	19.8%	11.2%	52.2%	1.0%	0.3%	109
	Above 200% FPL	24.4%	23.3%	20.7%	30.1%	0.6%	0.9%	380
Party Identification	Democrat	27.4%	20.5%	17.8%	31.5%		2.7%	292
	Independent	20.2%	23.2%	17.3%	37.0%	1.4%	0.9%	112
	Republican	16.8%	22.7%	23.0%	36.5%	0.5%	0.6%	321
Ideology	Liberal	33.1%	24.9%	11.6%	28.1%		2.3%	131
	Moderate	18.1%	22.7%	25.1%	33.4%	0.4%	0.2%	283
	Conservative	17.5%	21.4%	20.2%	39.6%	0.6%	0.7%	280
Registered to Vote	Yes	20.7%	22.3%	19.9%	34.8%	0.4%	2.0%	682
	No	20.4%	17.7%	18.1%	43.3%	0.5%		118
Insurance Status	Insured	20.9%	20.8%	20.1%	36.3%	0.2%	1.8%	723
	Not insured / Don't know	17.4%	29.5%	18.5%	31.9%	1.9%	0.9%	84
General Health Rating	Excellent / Very good	21.3%	22.7%	22.1%	32.6%	0.3%	1.0%	358
	Good	19.9%	15.9%	19.2%	41.8%	0.8%	2.4%	256
	Fair / Poor	19.3%	27.2%	17.2%	34.3%		2.0%	193
Geographical Region	Northeast Ohio	19.0%	19.3%	22.4%	35.7%	0.8%	2.8%	323
	Northwest Ohio	24.6%	23.7%	13.3%	34.9%	0.6%	2.9%	96
	Central Ohio	26.0%	21.9%	14.2%	37.9%			142
	Southeast Ohio*	13.1%	28.7%	21.4%	35.0%		1.8%	53
	Southwest Ohio	19.2%	22.2%	23.1%	35.1%		0.4%	195
Rural or Urban County	Urban county	22.3%	25.0%	18.4%	32.9%	0.3%	1.2%	360
	Suburban county	21.4%	18.6%	23.1%	35.5%	0.7%	0.7%	221
	Rural, small city	17.1%	19.1%	19.5%	40.7%	0.2%	3.4%	228

**Question 20: Suppose you were in contact with people at risk for opioid overdose. How likely would you be to carry Narcan . . . ?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Narcan opinion	Chance to Continue Using	9.4%	12.1%	21.8%	55.9%		0.7%	233
	Chance to Seek Treatment	26.7%	25.2%	20.2%	25.9%	0.1%	1.9%	462
	Both*	29.9%	26.8%	19.6%	19.5%	3.9%	0.3%	68
Familiar with Narcan	Very / Somewhat Familiar	23.6%	22.7%	19.8%	32.5%	0.6%	0.9%	541
	Not very / Not at All Familiar	14.8%	19.4%	20.7%	41.8%		3.3%	264
Prescribed a Pain Reliever	Yes	19.1%	24.6%	17.9%	35.9%	1.1%	1.4%	238
	No	20.9%	20.6%	21.2%	35.5%	0.1%	1.6%	562
Believe Addiction is a Disease	Is a Disease	24.0%	23.3%	18.1%	32.2%	0.4%	2.1%	498
	Is Not a Disease	11.6%	18.9%	24.7%	43.5%	0.4%	1.0%	249

**Question 21: Narcan is currently available without a prescription in the State of Ohio. Given this information, how likely would you be to carry Narcan . . . ?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Ohio Residents		21.5%	24.6%	19.8%	33.2%	0.1%	0.8%	806
Sex	Male	21.5%	22.7%	22.3%	32.8%	0.2%	0.6%	388
	Female	21.6%	26.4%	17.5%	33.5%		1.0%	418
Sex and Race Combined	African - American	20.5%	27.5%	10.0%	41.2%		0.7%	87
	White male	21.9%	22.0%	21.9%	33.4%	0.2%	0.6%	321
	White female	22.5%	26.1%	19.2%	31.4%		0.8%	336
Age	18 to 29	25.1%	37.9%	21.1%	15.9%			128
	30 to 45	25.3%	25.8%	14.8%	33.8%		0.3%	173
	46 to 64	25.4%	21.9%	20.2%	31.1%	0.2%	1.2%	283
	65 and over	12.9%	18.6%	20.7%	46.4%		1.4%	188
Education	Less than high school	20.5%	17.8%	7.5%	54.2%			93
	High school graduate	19.4%	26.1%	18.8%	34.7%		1.0%	272
	Some college	19.8%	26.3%	23.4%	30.1%		0.4%	239
	College graduate	28.0%	24.4%	20.2%	25.5%	0.3%	1.6%	191
Poverty Status	138% and below FPL	15.9%	29.4%	17.3%	36.4%		0.9%	144
	Between 138% and 200% FPL	16.2%	22.6%	13.8%	47.3%			108
	Above 200% FPL	25.5%	27.0%	19.5%	27.0%	0.2%	0.8%	378
Party Identification	Democrat	26.2%	25.2%	17.1%	30.6%		0.9%	292
	Independent	19.9%	19.0%	24.8%	35.3%	0.6%	0.5%	111
	Republican	19.5%	26.3%	20.5%	32.9%		0.7%	320
Ideology	Liberal	37.2%	27.0%	10.8%	24.0%		1.0%	131
	Moderate	18.9%	28.1%	22.0%	30.6%	0.2%	0.2%	281
	Conservative	19.1%	22.9%	21.9%	35.2%		0.8%	279
Registered to Vote	Yes	21.7%	24.4%	18.6%	34.1%	0.1%	1.0%	680
	No	22.0%	26.2%	23.9%	27.9%			117
Insurance Status	Insured	21.8%	23.9%	19.7%	33.7%	0.1%	0.9%	721
	Not insured / Don't know	19.9%	31.9%	20.6%	27.1%		0.4%	82
General Health Rating	Excellent / Very good	21.7%	28.1%	18.9%	30.7%	0.2%	0.5%	357
	Good	22.9%	16.3%	22.9%	36.0%		1.8%	254
	Fair / Poor	18.8%	29.2%	17.4%	34.3%		0.2%	193
Geographical Region	Northeast Ohio	19.2%	25.5%	17.6%	36.8%		1.0%	321
	Northwest Ohio	23.0%	24.3%	14.3%	36.6%		1.8%	95
	Central Ohio	29.6%	18.9%	20.4%	30.2%	0.4%	0.4%	142
	Southeast Ohio*	18.3%	30.2%	26.8%	23.1%		1.6%	53
	Southwest Ohio	19.7%	25.9%	23.8%	30.5%		0.2%	195
Rural or Urban County	Urban county	21.8%	29.3%	18.1%	29.7%	0.2%	0.9%	359
	Suburban county	23.4%	18.3%	21.0%	37.2%		0.2%	220
	Rural, small city	19.3%	23.3%	21.3%	34.7%		1.4%	228

**Question 21: Narcan is currently available without a prescription in the State of Ohio. Given this information, how likely would you be to carry Narcan . . . ?**

		<b>VERY LIKELY</b>	<b>SOMEWHAT LIKELY</b>	<b>NOT VERY LIKELY</b>	<b>NOT AT ALL LIKELY</b>	<b>ALREADY CARRY NARCAN (VOL.)</b>	<b>DON'T KNOW</b>	<b>Count</b>
Narcan opinion	Chance to Continue Using	8.0%	15.6%	25.5%	50.4%		0.4%	233
	Chance to Seek Treatment	27.8%	29.4%	17.8%	24.2%	0.1%	0.6%	462
	Both*	31.3%	27.2%	19.6%	21.4%		0.6%	65
Familiar with Narcan	Very / Somewhat Familiar	25.1%	25.3%	19.6%	29.6%	0.1%	0.3%	538
	Not very / Not at All Familiar	14.7%	23.3%	20.5%	39.9%		1.6%	264
Prescribed a Pain Reliever	Yes	25.2%	23.9%	16.8%	33.1%		1.0%	235
	No	20.0%	24.6%	21.1%	33.6%	0.1%	0.6%	562
Believe Addiction is a Disease	Is a Disease	24.8%	25.6%	19.3%	29.6%		0.7%	496
	Is Not a Disease	13.3%	22.0%	22.1%	41.1%	0.3%	1.3%	248